



**AUTOMATION
PLUS**

AUTOMATION-PLUS, INC.
3409 W. HARRY ST. WICHITA, KS 67213
PH: (316) 946-9988 FAX: (316) 946-0075

The JETMARK II PRO Traverser is a family of short-range motion devices for inkjet printing applications over stationary product. Print head mounts are offered as in line or extend-retract. The end adapter can accommodate CIJ, HP cartridge or other DOD printers. The unit is available in stroke lengths of 9-18". The traverse speed is adjustable from 0-12"/sec. The JETMARK II PRO is actuated by any dry contact closure. When activated the controller will provide a 0-30VDC output trigger to the inkjet printer and start the in-out motion. The trigger will be held on until the end of the return stroke. The system comes complete with an 18" adjustable mounting stand, motion actuator, controller, 12' print trigger cable, and foot switch with a 6' cord.

JETMARK II PRO TRAVERSER



INLINE



EXTEND- RETRACT



**AUTOMATION
PLUS**

AUTOMATION-PLUS, INC.
3409 W. HARRY ST. WICHITA, KS 67213
PH: (316) 946-9988 FAX: (316) 946-0075



STANDARD

OUTPUT

- DRY CONTACT (OPTIONAL)
- 0-30VDC OPEN COLLECTOR

SPECIFICATIONS

VOLTAGE

- 115/230VAC 50-60 Hz

POWER

- 120 WATTS

STROKE

- 9 -15"

SPEED

- 0-12"/SEC


INPUT

- DRY CONTACT
- 0-30VDC (OPTIONAL)







**AUTOMATION
PLUS**

AUTOMATION-PLUS, INC.
3409 W. HARRY ST. WICHITA, KS 67213
PH: (316) 946-9988 FAX: (316) 946-0075



INLINE



EXTEND-RETRACT